

F400 roof-mounted extract fans with high efficiency EC Technology motor



Vertical
extraction



Horizontal
extraction



CVT/EC CHT/EC



**F400
certification with
EC Technology
motor according
to the standard
EN 12101-3**



Fire mode in the
event of a fire



Energy efficiency



High
performance



Built-in electronics



Easy
cleaning and
maintenance



SODECA offers solutions for industrial ventilation, smoke exhaust, staircase pressurisation, tunnel ventilation and improved indoor air quality

SODECA has grown by seeking out the best path, always innovating and offering the best customer service, while respecting the environment and remaining committed to energy savings. It would therefore like to be a part of the change and focus on a sustainable model.



The environmental management system of the production plant at SODECA's headquarters has **ISO 14001 certification from Bureau Veritas**, thereby endorsing our environmental performance and the continuous improvement derived from activities targeted at mitigating any impact on the environment. At SODECA, sustainable solutions are integrated in its business strategy, which means producing with clean energy, reducing emissions and working to decrease waste generation.



Efficient solutions for smoke extraction and exhaust in the event of fire

Centrifugal roof-mounted extract fans with high efficiency, EC Technology motors and F400 certification for being installed on any type of roof.



Dual functionality

This equipment can be used for a dual purpose. High energy efficiency extraction and, in the event of fire, exhausting smoke of up to 400 °C for 120 minutes. It is an efficient system that does not require the duplication of ducts or ventilation units.



Energy savings

EC Technology motors with IE5 efficiency minimise consumption by adjusting their speed to the real demand of the environment, thereby reducing the energy cost, reducing maintenance and extending their useful life.



Heat and humidity control

Efficient extraction to prevent over-heating, condensation and damage to materials, thereby protecting the structure of a building and the health of people.



Comfort and noise reduction

The exterior location of this equipment improves comfort by minimising noise and optimising the interior space of a building.



Easy cleaning and maintenance

Equipment designed so that the interior of the unit can be easily accessed and so that unobstructed cleaning and maintenance tasks can be performed.

CVT/EC and CHT/EC roof-mounted extract fans are suitable not only for extraction, with high energy efficiency, but also for smoke exhaust in the event of fire.

Solutions with a dual functionality
EC Technology motor and F400 certification



**EC Technology
motor**



**F400
certification**



The power of the fan is automatically adjusted according to the needs of the environment, thereby optimising performance, minimising energy consumption and reducing noise levels.



EC Technology motor control

Adjustable power according to:

- Humidity
- CO₂ concentration
- Temperature
- Volatile organic compounds

**The fan's power
control represents a
savings of 70%**



High performance

High performance extraction and IE5 maximum energy efficiency.



Built-in electronics

The EC Technology motor has built-in electronics, which enables it to be directly compatible with regulation sensors without the need for an additional variable frequency drive.



Certifications

The efficiency of the EC Technology motors facilitates obtaining sustainable building certifications such as BREEAM® and LEED.

F400 certification in case of fire



EC Technology
motor



F400
certification



Fire Mode

In case of fire, the Fire Mode is automatically activated. Any power regulation is cancelled and the motor works at its maximum capacity to extract smoke quickly and safely.



Equipment approved
in accordance
with standard
EN 12101-3



Emergency ventilation

In case of fire, the emergency ventilation is activated for rapid smoke extraction. Contributing to safety and facilitating the evacuation of occupants.




Approval

Fire resistance of 400 °C/2h. Approved according to standard EN 12101-3 with certificate No. 0370-CPR-7365



With built-in electronics

- EC Technology motor
- Compatible with temperature humidity, VOC or CO₂ sensors
- IE5 maximum energy efficiency



Easy to clean

Quick access to the interior of the unit by opening the rain cover, which facilitates cleaning and maintenance tasks.

CVT/EC



Cooling

Motor outside of the ventilation flow, cooled by exterior air.



High durability

Highly durable housing and support base that are resistant to corrosion.

F400 roof-mounted extract fans with high efficiency EC Technology motor.

Energy savings of 70%

CHT/EC



Prevents water entry

Aluminium rain deflector cover that prevents water entry.



Protective grille

Bird guard to prevent damage and possible obstructions.



Support for roof-mounting





Energy efficiency and sustainability

SODECA has developed a strategy that centres on reducing our carbon footprint, waste and environmental impacts through the use of new technologies that allow making more efficient use of natural resources.

SODECA fans are outstanding for their high energy efficiency, which makes them an efficient solution for optimising energy consumption, reducing operating costs and minimising the carbon footprint.



EUROPE

FINLAND

Sodeca Finland, Oy
HUITTINEN
Sales and Warehouse
Mr. Kai Yli-Sipilä
Metsälinnankatu 26
FI-32700 Huitinen
Tel. + 358 400 320 125
orders.finland@sodeca.com

FINLAND

Sodeca Finland, Oy
VANTAA
Sales and Warehouse
Ainontie 12
FI-01630 Vantaa

Smoke Extraction

Mr. Antti Kontkanen
Tel. +358 400 237 434
akontkanen@sodeca.com
Mrs. Kaisa Partanen
Tel. +358 451 308 038
kpartanen@sodeca.com

Industrial Applications

Mr. Jarno Pikkumäki
Tel. +358 407 723 472
jpikkumaki@sodeca.com

ITALIA

Sodeca Italia
Viale del Lavoro, 28
37036 San Martino B.A.
(VR), ITALY
Tel. +39 045 87 80 140
vendite@sodeca.com

NORWAY

Sodeca Norge AS
Per Krohgs vei 4C
1065 Oslo
NORWAY
Tel. +47 23 28 80 90
post@sodeca.no

PORTUGAL

Sodeca Portugal, Unip. Lda.
PORTO
Rua Veloso Salgado
1120/1138
4450-801 Leça de Palmeira
Tel. +351 229 991 100
geral@sodeca.pt

LISBOA

Pq. Emp. da Granja Pav. 29
2625-607 Vialonga
Tel. +351 219 748 491
geral@sodeca.pt

ALGARVE

Rua da Alegria, 33
8200-569 Ferreiras
Tel. +351 289 092 586
geral@sodeca.pt

UNITED KINGDOM

Sodeca Fans UK, Ltd.
Mr. Mark Newcombe
Tamworth Enterprise Centre
Philip Dix House, Corporation
Street, Tamworth, B79 7DN
UNITED KINGDOM
Tel. +44 (0) 1827 216 109
sales@sodeca.co.uk

AMERICA

CHILE

Sodeca Ventiladores, SpA.
Sra. Sofía Ormazábal
Santa Bernardita 12.005
(Esquina con Puerta Sur)
Bodegas b24 a b26,
San Bernardo, Santiago, CHILE
Tel. +56 22 840 5582
ventas.chile@sodeca.com

COLOMBIA

Sodeca Latam, S.A.S.
Sra. Luisa Stella Prieto
Calle7 No. 13 A-44
Manzana 4 Lote1, Montana
Mosquera, Cundinamarca
Bogotá, COLOMBIA
Tel. +57 1 756 4213
ventascolombia@sodeca.co

PERU

Sodeca Perú, S.A.C.
Sr. Jose Luis Jiménez
C/ Mariscal Jose Luis de
Orbegoso 331. Urb. El pino.
15022, San Luis. Lima, PERÚ
Tel. +51 1 326 24 24
Cel. +51 994671594
comercial@sodeca.pe

MIDDLE EAST AND AFRICA

UNITED ARAB EMIRATES
Sodeca MEA Trading L.L.C

C-83, Sama Residence
Al Nahda First, Deira, DUBAI
orders.mea@sodeca.com



HEADQUARTER

Sodeca, S.L.U.

Pol. Ind. La Barricona
Carrer del Metall, 2
E-17500 Ripoll
Girona, SPAIN
Tel. +34 93 852 91 11
General sales: comercial@sodeca.com
Export sales: ventilation@sodeca.com

PRODUCTION PLANT

Sodeca, S.L.U.

Ctra. de Berga, km 0,7
E-08580 Sant Quirze de Besora
Barcelona, SPAIN
Tel. +34 93 852 91 11
General sales: comercial@sodeca.com
Export sales: ventilation@sodeca.com



www.sodeca.com