

Integrated smoke control solutions



Car parks



Staircases



Firefighting lobbies



Evacuation routes



EN-12101-3
Powered smoke and heat exhaust ventilators for use in Construction Works



SODECA offers solutions in industrial ventilation, smoke evacuation, staircase pressurisation, tunnel ventilation and indoor air quality improvement.




SODECA has grown looking for the best way forward, always innovating and offering the best customer service, respecting the environment and committed to energy saving. For this reason SODECA wants to be part of the change and focus on a sustainable model.




The environmental management system at SODECA's production plant is **certified ISO 14001 by Bureau Veritas**, which endorses the environmental performance and the continuous improvement resulting from the development of activities to mitigate the impact on the environment. At SODECA, sustainable solutions are integrated into the business strategy by manufacturing using clean energy, reducing emissions and working to reduce waste.

Experts in smoke control



SODECA has wide experience in the design and fabrication of equipment for ventilation and smoke exhaust in car parks.

Our projects department distinguishes itself from other companies by offering project design services and best-practise advice. It has specialist technicians who can deliver a comprehensive technical study, including sizing of equipment and required plant space.



They are experienced users of advanced Computational Fluid Dynamics (CFD) software, which they use to validate design parameters and simulate values such as smoke behaviour, temperature, visibility, air velocities and CO concentration.

Comprehensive **solutions**

SODECA adapts to the needs of each client, offering comprehensive ventilation and smoke control solutions:

- **CAR PARK VENTILATION.**
- **PRESSURISATION FOR STAIRCASES AND ESCAPE ROUTES.**
- **SMOKE EXTRACT CONTROL SYSTEMS.**



In addition, SODECA **offers the option of testing installations using real** (hot) smoke tests.



Ventilations for **car parks**

In modern buildings, car parks are now another feature of the building architecture. In many cases, they are the first space visitors enter in buildings such as shopping centres, entertainment complexes, offices and passenger transport hubs.

Correct car park ventilation plays an important role in the first impressions of a visitor. For this reason, they must be designed to satisfy the highest environmental quality standards. In other words, the lowest possible concentrations of contaminant gases must be achieved, whilst at the same time, eliminating foul odours.

But these are not the only factors. A high degree of safety must be guaranteed in the event of fire and car park ventilation is essential for providing adequate conditions for evacuation of occupants and to aid fire-fighting operations.



VISIBILITY

Improved visibility
in the fire zone



AIR

Supply of fresh air
to reduce smoke toxicity



TEMPERATURE

Reduction of air
temperature in the fire zone

Jet fan smoke control system

Jet fan smoke control systems are considered the most suitable ventilation solution for large, unobstructed spaces such as car parks and tunnels.

Installing this type of fan reduces the need to install air supply and extract ducts, improving visibility in car parks and increasing available clearance height. In the event of fire, the jet fans generate an air current that pushes smoke toward extract points.



JET FANS		OTHER		
				
THT/IMP	CI	THT	THT/HATCH	THT/WALL THT/WALL-F
Applications				
Ventilation for contaminant gas control. Ventilation in the event of fire.	Ventilation for contaminant gas control. Ventilation in the event of fire.	Ventilation for contaminant gas control. Ventilation in the event of fire.	Ventilation for contaminant gas control. Ventilation in the event of fire.	Ventilation for contaminant gas control. Ventilation in the event of fire.
Installation				
Indoor. Below ceiling	Indoor. Below ceiling	Indoor, in ventilation shafts or plant room.	On the roof	Façade
Safety switch				
Included in L and O versions. C version on request.	Included	On request	Included	On request
2-speed fan				
Yes	Yes	1 or 2-speed versions	1 or 2-speed versions	1 or 2-speed versions
Temperature classification based on EN 12101-3				
F300 / F400 ₁₂₀	F300 / F400 ₁₂₀			
Version without temperature classification				
HCT/IMP	CI-CO	HCT/HGT	HCT/HATCH	WALL/DUCT
Reversible fan version				
Yes	No	Yes	Yes	Yes



Pressurisation for **staircases and escape routes**

Pressurisation control systems prevent smoke from entering escape routes by pressurising those spaces. When the system is running, if doors are opened or in the event of air leakage, the system reacts by increasing the airflow rate. This guarantees that escape routes are always free of smoke in an emergency situation.

Escape routes include corridors, staircases, lifts and lobbies.



VISIBILITY

Visibility is ensured



EVACUATION

Safe evacuation of
occupants



SAFETY

Easy access for firefighters



When selecting and classifying a system for a specific project, it is necessary to consider the building use, size and evacuation instructions in the event of fire. These criteria will help determine the necessary flow rate delivered by the pressurisation equipment.

The choice of system is very important as, this will also determine flow rates depending on the class.

FULL RANGE
ADVANCED
BASIC


	KIT HATCH PDS	KIT BOXPDS SMART KIT BOXPDS SMART II	KIT BOXPDS KIT BOXPDS II	KIT BOXSMART KIT BOXSMART II	KIT BOXSMART FLAP	KIT BOXSMART EC	KIT BOXPRES PLUS KIT BOXPRES PLUS II	KIT SOBREPRESIÓN	PRESSKIT
APPLICATIONS	Staircases, passageways, lift shafts, lobbies								Lobbies
INSTALLATION	Roofs	Roofs, interiors						Only lobbies	
NO/NC SELECTABLE ACTIVATION CONTACT	YES	YES	YES	YES	YES	YES	-	-	YES
OPERATES IN THE EVENT OF LOSS OF ACTIVATION SIGNAL	YES	YES	YES	YES	YES	YES	YES	-	YES
STATUS MEMORY IN THE EVENT OF A LOSS OF POWER	YES	YES	YES	YES	YES	-	-	-	YES
EQUIPMENT STATUS INDICATOR LIGHTS	YES	YES	YES	YES	YES	YES	YES	YES	YES
EQUIPMENT STATUS INFORMATION SIGNALS	YES	YES	YES	YES	YES	YES	YES	-	YES
REMOTE RESET	YES	YES	YES	YES	YES	-	-	-	YES
DAILY VENTILATION OPTION	YES	YES	YES	YES	YES	YES	-	-	-
BUILT-IN CONTROL PANEL	YES	YES	YES	YES	YES	YES	YES	-	-
CONTROL OF MULTIPLE INDEPENDENT LOBBIES	YES	YES	YES	-	-	-	-	-	-
REVERSIBLE FOR SMOKE EXTRACTION	-	YES	-	-	YES	-	-	-	-
STANDBY FAN	-	YES	YES	YES	-	-	YES	YES	-
COMPATIBLE WITH FIRE-FIGHTER CONTROL PANEL	YES	YES	YES	YES	YES	YES	YES	-	-
INLET SMOKE DETECTION	YES	YES	YES	YES	-	-	-	-	-
INLET MOTORISED HATCH CONTROL	1	3	2	1/2	1	-	-	-	-
SELF-CALIBRATION AND LEAK DETECTION	YES	YES	YES	-	-	-	-	-	-
QUICK SETUP	-	YES	-	-	-	-	-	-	-
CONNECTION TO BMS SYSTEMS	YES	YES	YES	YES	YES	YES	YES	YES	YES
TOUCH SCREEN FOR PROGRAMMING PARAMETERS	YES	YES	YES	-	-	-	-	-	YES
MENU FOR CHECKING SYSTEM COMPONENTS	YES	YES	YES	-	-	-	-	-	-
TEST SELECTOR FOR STARTING THE FAN	-	YES	-	YES	YES	YES	YES	YES	-
ALARMS MENU	YES	YES	YES	-	-	-	-	-	YES
DUAL SPACE OVERPRESSURE CONTROL	-	YES	-	-	-	-	-	-	-
CONFIGURABLE MODE TO CLOSE EXIT DOOR	-	YES	-	-	-	-	-	-	-
VENTILATION OPTION WITH ENVIRONMENTAL SENSORS	-	YES	-	-	-	-	-	-	-



Smoke extract control systems

For air supply and smoke extract systems in fires, with or without jet fans, SODECA has the **BOXPARK**, which facilitate the integration of the ventilation system with CO and fire detection alarms.

The BXPARK is adapted to common ventilation system needs in fires, and can also be customised for large projects with the **possibility of adding modules to the system.**

We also supply fire-fighting and maintenance control panels.



Control system BOXPARK CONTROL MASTER

BOXPARK ADVANCED PLC

BOXPARK ADVANCED

BOXPARK BASIC

 <p>PLC with sequencing and advanced communications</p>	<p>Includes PLC with sequencing algorithm for ventilation systems (ducted or Jet fans).</p> <p>MODBUS and WEB communications for supervision and remote control</p>	<p>Includes PLC No advanced communications</p>	<p>Not included No advanced communications</p>
 <p>Number of zones and damper control</p>	<p>Can manage a single zone or multiple zones.</p> <p>Controls motorised dampers</p>	<p>Can manage a single zone or multiple zones.</p> <p>Controls motorised dampers</p>	<p>Designed for a single zone only.</p> <p>Does not manage motorised dampers</p>
 <p>Option to add a remote panel for firefighters</p>	<p>Option of remote operation by firefighters</p>	<p>Option of remote operation by firefighters</p>	<p>Not available</p>

Smoke extract and **CO control systems**

For automated operation of ventilation systems, depending on the specific needs of the car park.

This equipment controls the ventilation system operation, depending on the CO concentration or through the activation from a fire detection station. It also allows day-to-day programming of the car park ventilation system.



BOXPARK



CENTRAL CO

Applications	
Automated or manual ventilation control	CO concentration control
Installation	
In plant room	In plant room
Automated operating modes	
By fire detection. By CO detection.	Standard automation. Advanced automation with power savings.
Manual operation	Programmable activation levels
Speed selection (high/low). Fan selection.	Three levels with digital outputs. Analogue output for variable frequency drive.
Time programming	Programmable activation levels
Ventilation system (high/low). Operating periods.	1, 2 or 3 zones with up to 32 sensors per zone. Independent zone management.
Connection to	
MODBUS, RTU and CAN open systems	MODBUS
Ventilation control	
By contactors. Variable frequency control.	1, 2 or 3 progressive stages. Proportional control.

EUROPE

FINLAND

Sodeca Finland, Oy
HUITTINEN
Sales and Warehouse
Mr. Kai Yli-Sipilä
Metsälännankatu 26
FI-32700 Huittinen
Tel. + 358 400 320 125
orders.finland@sodeca.com

FINLAND

Sodeca Finland, Oy
VANTAA
Sales and Warehouse
Ainontie 12
FI-01630 Vantaa

Smoke Extraction

Mr. Antti Kontkanen
Tel. +358 400 237 434
akontkanen@sodeca.com
Mrs. Kaisa Partanen
Tel. +358 451 308 038
kpartanen@sodeca.com

Industrial Applications

Mr. Jarno Pikkumäki
Tel. +358 407 723 472
jpikkumaki@sodeca.com

ITALIA

Sodeca Italia
Viale del Lavoro, 28
37036 San Martino B.A.
(VR), ITALY
Tel. +39 045 87 80 140
vendite@sodeca.com

NORWAY

Sodeca Norge AS
Per Krohgs vei 4C
1065 Oslo
NORWAY
Tel. +47 23 28 80 90
post@sodeca.no

PORTUGAL

Sodeca Portugal, Unip. Lda.
PORTO
Rua Veloso Salgado 1120/1138
4450-801 Leça de Palmeira
Tel. +351 229 991 100
geral@sodeca.pt

LISBOA

Pq. Emp. da Granja Pav. 29
2625-607 Vialonga
Tel. +351 219 748 491
geral@sodeca.pt

ALGARVE

Rua da Alegria, 33
8200-569 Ferreiras
Tel. +351 289 092 586
geral@sodeca.pt

UNITED KINGDOM

Sodeca Fans UK, Ltd.
Mr. Mark Newcombe
Tamworth Enterprise Centre
Philip Dix House, Corporation
Street, Tamworth, B79 7DN
UNITED KINGDOM
Tel. +44 (0) 1827 216 109
sales@sodeca.co.uk

AMERICA

CHILE

Sodeca Ventiladores, SpA.
Sra. Sofia Ormazábal
Santa Bernardita 12.005
(Esquina con Puerta Sur)
Bodegas b24 a b26,
San Bernardo, Santiago, CHILE
Tel. +56 22 840 5582
ventas.chile@sodeca.com

COLOMBIA

Sodeca Latam, S.A.S.
Sra. Luisa Stella Prieto
Calle7 No. 13 A-44
Manzana 4 Lote1, Montana
Mosquera, Cundinamarca
Bogotá, COLOMBIA
Tel. +57 1 756 4213
ventascolombia@sodeca.co

PERU

Sodeca Perú, S.A.C.
Sr. Jose Luis Jiménez
C/ Mariscal Jose Luis de
Orbegoso 331. Urb. El pino.
15022, San Luis. Lima, PERÚ
Tel. +51 1 326 24 24
Cel. +51 994671594
comercial@sodeca.pe

MIDDLE EAST AND AFRICA

UNITED ARAB EMIRATES Sodeca MEA Trading L.L.C

C-83, Sama Residence
Al Nahda First, Deira, DUBAI
orders.mea@sodeca.com



HEADQUARTER

Sodeca, S.L.U.

Pol. Ind. La Barricona
Carrer del Metall, 2
E-17500 Ripoll
Girona, SPAIN
Tel. +34 93 852 91 11
General sales: comercial@sodeca.com
Export sales: ventilation@sodeca.com

PRODUCTION PLANT

Sodeca, S.L.U.

Ctra. de Berga, km 0,7
E-08580 Sant Quirze de Besora
Barcelona, SPAIN
Tel. +34 93 852 91 11
General sales: comercial@sodeca.com
Export sales: ventilation@sodeca.com



www.sodeca.com